

Product code : 79001B, 7B001L

EMFIMASTIC S

DESCRIPTION

EMFIMASTIC S is a one-component alkoxy silicone sealant which cures under the effect of atmospheric moisture to form a flexible and resistant joint. It shows a high resistance to weathering and extreme temperatures.

EMFIMASTIC S contains antifungal agents, resulting in good resistance to mold, bacteria and moisture and thus allows sanitary applications in humid places.

It has CE marking for following application: sanitary sealant according to European Standard EN 15651-3 (S).

AREAS OF APPLICATIONS

EMFIMASTIC S is specially adapted for sanitary seals in areas with high humidity where mold is likely to grow, such as waterproofing of joinery and elements of kitchens and bathrooms (sinks, washbasins, bathtubs, whirlpools, showers, shower cabins, jacuzzies, various sanitary items and vitrified materials, etc.)

Very easy to apply, EMFIMASTIC S adheres without primer on most non-porous building substrates like glass, aluminium, vitrified surfaces, glazed ceramics, etc.

EMFIMASTIC S is not recommended on porous substrates like natural stone, marble, granite or alkaline substrates like concrete, fiber-cement, mortar, etc. It should not be used on metals like zinc, copper, brass or lead because it would cause corrosion. EMFIMASTIC S is not paintable after curing.

EMFIMASTIC S is not suitable for applications in direct contact with food, aquarium bonding or sealing, mirror bonding and is not recommended on bituminous surfaces, polyacrylate and polycarbonate.

TECHNICAL DATA

INSTRUCTIONS FOR USE

Refer to product's technical data sheet.


The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product.

Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance with the stipulations set out in our general sales conditions.

The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided

Product code : 79001B, 7B001L - du 2023-02-20 3 rue Ettore Bugatti - 67500 Haguenau Tel : 03 88 90 60 00 - Fax : 03 88 73 48 38 nternet : http://www.emfi.com - EMail. : emfi@emfi.com Writer : CD





See also material safety data sheet

Page 1 / 2

verbally by telephone to any prospective or existing customer.

Product code : 79001B, 7B001L - du 2023-02-20 3 rue Ettore Bugatti - 67500 Haguenau Tel : 03 88 90 60 00 - Fax : 03 88 73 48 38 Internet : http://www.emfi.com - EMail. : emfi@emfi.com Writer : CD